## Description

# Engineering of Controlled Deamidation Rates in Peptides, Proteins, and Similar Structures

#### **BACKGROUND OF INVENTION**

[0001] The deamidation of peptides and proteins as well as molecules related to peptides and proteins is a well known phenomenon. In this reaction Asn or Gln residues are gradually changed into Asp and Glu residues and their isomers respectively. The rate of this reaction is dependent on the primary sequence, three-dimensional structure, pH, temperature, buffer type, ionic strength and other solution properties. The half-time varies from less than 1 day to more than a century. The reaction introduces a negative charge into the molecule. In addition, the isomerization products ß-Asp and ß-Glu as well D-isomerized forms and chain cleavage also accompany the reaction.

[0002] The stability of Asn and Gln in pharmaceutical and other

types of commercial preparations is a major field of study. Efforts have been made to discover formulation conditions that will minimize the rate of deamidation of amides in these preparations. There is also commercial potential in induced or controlled deamidation as an active aspect of the product.

#### **SUMMARY OF INVENTION**

- [0003] The inventions described here pertain to the engineering of peptides, hormones, and proteins as well as peptide-like, hormone-like and protein-like molecules.
- [0004] It has been found in peptides that for sequences of the type AsnXxx and GlnXxx, where Xxx is any natural or unnatural amino acid, the rate of deamidation of either Asn or Gln depends very strongly on the identity of Xxx. These results are applicable to peptides, proteins and hormones as well as any amide-containing molecule with similar structure. It is also applicable to isomerization of AspXxx and GluXxx sequences.
- [0005] I have done extensive work showing the quantitative sequence dependence of these reactions. I have also invented a method for applying this sequence dependence to proteins, peptides, and other similar molecules, in conjunction with their three-dimensional structures.

- These inventions allow the prediction of deamidation rates of amides if the three-dimensional structure in the vicinity of the amide is known or predictable. They also provide quantitative information about the parameters that make up these rates and show which structural elements are important for each rate.
- [0007] These inventions can be used to modify structural elements to provide stability or controlled instability in amides or acids in pharmaceutical and other types of commercial preparations. Specifically there are three major types of modifications that can be made that will change the rate by amounts that can be quantitatively or qualitatively determined from these inventions. Asp and Glu residues also undergo reactions controlled in this way.
- [0008] 1. Modification of the residue or residue-like structure to the right or left of the amides or acids. This can be done by substitution of a different natural or non-natural amino acid side chain.
- [0009] 2. Exchange of Asn for Gln or Gln for Asn. Gln deamidation and probably Glu isomerization is substantially slower by a quantitative amount.
- [0010] 3. Modification of other surrounding structural elements that affect the rate of the reaction as determined by my

current three-dimensional calculation procedure or a similar procedure resulting from improvements in the current method.

These inventions allow the engineering of molecules with specific amide structures that will deamidate at specified rates. These procedures can be used to design stable and unstable forms for pharmaceutical, industrial, and other products. This can be used to increase the shelf-life of such products through minor modifications, prevent or at least slow down the gradual formation of impurities in preparations with these modifications, and may make possible as a result of minor modifications the use of products that would otherwise be too unstable for practical purposes. The engineering of products with unstable amides that are programmed to deamidate at specific rates is also a valuable application of this procedure.

### **DETAILED DESCRIPTION**

[0012] General Method:

[0013] It was known before the invention of the method described here, that the sequence and structure around an amide has a large effect on the deamidation rate. What was unknown was how this effect worked or any quantitative information that would allow engineering of stable amides or amides with predetermined rates based on modification of the sequence.

[0014] Experiments which I carried out showed quantitatively the effects of sequence dependent deamidation. One of the discoveries made was that the sequence dependence of deamidation is much richer and covers a wider range than previously thought. In 37°C, pH 7.4, 0.15 M Tris buffer, the combination of XxxAsnYyy and XxxGlnYyy sequences where Xxx and Yyy are any of the naturally occuring amino acids covers a range from less than 1 day to over 15,000 days with the entire range in between available.

[0015]

In addition to the sequence dependent work, I have also invented methods that allow application of this sequence dependent data to three-dimensional protein structures to permit the prediction of protein deamidation rates. This method is applicable to any peptide type structures including peptides, hormones, and proteins and peptide-like, hormone-like, and protein-like molecules, as well as similar structures that deamidate in the same way.

[0016] This prediction procedure is based on identifying structural elements in a protein or similar molecule that contribute to the rate in known quantitative ways. These in-

clude, but are not limited to, hydrogen bonds of various types, disulfide bonds, alpha-helices, and beta-sheets.

The effect of each structure depends on a variety of quantitative factors.

- [0017] The invention of these prediction techniques had never been attempted before. Not only do they allow prediction of deamidation rates to very high reliability, but the calculation shows what structural features are responsible for each particular rate and what changes would be necessary to modify the rate in a quantitative manner.
- [0018] Sequence Dependence:
- [0019] Tables 1 and 2 show the sequence dependence of deami-dation measured using natural amino acid variations in pentapeptides. Non-natural variations provide an even greater range of sequences to choose from.
- [0020] Table 1 describes the sequence dependence of Asn sequences. It is based on pentapeptide rates measure in 37°C, pH 7.4, 0.15 M Tris buffer. The applicability of a pentapeptide model to sequence dependence was verified in a separate set of experiments. All values listed in this table are experimental except for the four values in boxes, which were estimated from the rest of the data.

Xxx\Yyy	, Gly	His	Ser	Ala	Asp	AmCys	Thr	Cys	Lys	Met	Glu	Arg	Phe	Tyr	Trp	Leu	Val	Ile	Pro 1	Median†
Gly	1.03	9.2	11.8	21.1	28.0	27.6	39.8	40.6	48.2	50.4	73.9	57.8	64.0	63.6	77.1	104	224	287	7170	50.4
Ser	96'0	9.0	15.1	24.1	30.3	41.3	45.7	60.2	55.5	54.9	59.7	59.7	52.2	64.7	8.92	110	233	285	2060	55.5
Thr	1.04	9.6	17.1	24.6	27.9	34.4	50.0	55.5	9.79	47.6	8.09	51.2	76.4	9.08	72.5	110	237	279	6290	55.5
Cys	1.14	10.8	19.0	26.4	30.6	38.3	48.7	46.0	46.6	64.5	48.3	83.1	73.9	83.9	111	119	229	304	1550	48.7
AmCys	1.14	10.9	15.4	21.5	32.9	39.3	41.7	46.6	48.9	56.5	45	58.8	63.3	8.87	81.3	100	215	250	3900	48.9
Met	1.04	10.2	15.2	22.1	26.4	33.8	43.6	49.6	60.4	<b>6.9</b> 9	72.4	58.8	61.9	74.0	92.7	113	211	275	9300	57.9
Phe	1.15	10.2	18.1	24.2	27.4	29.8	39.0	46.5	58.2	58.6	62.4	61.2	69.5	75.1	102	118	203	287	1990	58.6
Tyr	1.49	10.2	11.9	24.3	28.4	33.3	38.1	48.6	55.1	64.3	41.0	<b>6.9</b> 9	58.0	9.07	120	118	241	306	9830	51.8
Asp	1.53	9.7	17.0	24.0	29.4	45.8	52.4	54.1	75.9	57.3	46.8	87.2	70.1	70.4	80.3	111	241	. 362	11800	25.7
	1.45	9.0	16.4	25.8	32.0	32.1	36.8	44.2	8.77	9.69	60.3	80.9	70.2	94.5	98.4	130	268	279	9600	59.9
His	1.14	10.7	15.7	24.6	31.2	33.8	47.2	43.9	50.2	63.1	69.4	48.9	72.1	82.3	95.4	116	247	327	8440	50.2
Lys	1.02	10.5	15.6	23.6	34.0	36.5	58.1	49.0	53.5	6.09	72.5	57.4	70.1	2.96	98.1	119	246	313	4940	58.1
Arg	1.00	10.0	14.3	24.4	34.7	42.3	20.7	50.5	49.6	74.4	68.3	67.4	68.3	90.0	127	128	247	311	5790	67.4
	1.05	9.3	14.9	22.5	31.9	40.6	43.5	63.7	55.9	59.2	74.1	62.4	9.59	73.9	130	124	254	300	7370	62.4
Leu	1.08	10.7	16.7	25.1	32.1	33.6	46.1	53.5	60.1	62.6	26.7	62.1	72.4	75.7	74.5	155	294	391	10500	60.1
Val	1.23	10.2	18.2	27.5	33.5	34.7	49.9	63.2	63.8	65.7	64.8	67.4	9.99	79.2	88.9	154	291	366	8030	64.8
	1.26	11.5	14.5	25.9	33.8	33.0	46.3	52.7	64.4	58.8	58.6	66.4	61.5	79.3	86.7	154	295	384	11600	58.8
Trp	1.75	11.3	15.5	30.7	43.6	42.9	38.9	83.1	59.4	64.2	75.7	73.9	71.1	97.6	135	133	226		12000	9.79
	1.18	12.8	18.9	31.8	48.6	43.7	63.1	0.09	8.79	78.4	92.0	72.9	100	114	122	181	364	455	6590	72.9
Mean	1.19	10.3	15.9	25.0	32.5	36.7	46.3	53.2	58.4	6.09	63.3	65.0	68.8	81.1	86	126	251	315	2000	6.09
St.Dev.	0.05	0.23	0.49	0.67	1.3	1.2	1.7	2.4	2.1	1.8	3.1	2.5	2.3	3.0	4.9	5.1	9.3	12.2	009	2.3
%St.Dev.	4.4	2.2	3.1	2.7	4.1	3.3	3.6	4.5	3.6	2.9	4.8	3.9	3.4	3.7	5.0	4.0	3.7	3.9	8.8	3.7
Median	1.14	10.2	15.6	24.4	31.9	34.7	46.1	50.5	9.79	9.69	62.4	62.1	69.5	79.2	96	119	241	300	7100	9.69
Thedian does not include Yyy = AmCys	does n	ot inclu	ide Yy	y = Ar	nCys															

Table 2 describes the sequence dependence of Gln pep-

[0021]

Bold type values are experimental

tides. It is also based on pentapeptide rates measure in 37°C, pH 7.4, 0.15 M Tris buffer. In this case, the 52 values shown in bold were measured, and the rest of the values were derived from surface fitting.

	e 2 – Fi	rst-O	rder I	)eami	dation	Table 2 - First-Order Deamidation Halftimes of GlyXxxGlnYyyGly in days at pH 7.4, 37.0 °C, 0.15 M Tris HCl	imes o	f Gly	XxXGI	nYyyG	Iy in	lays at	pH 7.	4, 37.(	°C, (	).15 M	Tris	HCI	
Xxx/Yyy		Gly C	Cys M	Met Thr	hr Ser	r Ala	His	Lys	Leu	Ile	Val	Arg	Glu	Asp	Phe	Pro	Tyr	Trp 1	Median
S Cys			800 3200	00 3500	00 3800	00 4100	) 4200	4400	4800	4900	2000	5100	2600	6100	6500	7100	7900	9100	4800
Met		009	900 3500	00 3800	00 4100	00 4400	4400	4600	2000	5000	2000	5100	5800	6200	0099	7300	8200	9400	2000
Tipre Tipre		<b>670</b> 10	1000 3700	00 4000	00 4200	00 4300	(4500	4800	5200	5300	5100	5100	2900	6300	0089	7500	8400	9700	5100
Lys		650 10	1000 4000	00 4100	00 4200	0 4300	6100	4000	5300	5400	5700	2300	5400	2900	7000	7700	8800	10000	5300
Arg		660 10	<b>1000</b> 4100	00 4200	00 4300	00 4400	) 4900	4000	5400	2500	5800	2300	5400	2900	7100	8100	9200	11000	4900
t Val		640 13	1300 4200	00 4300	00 4400	00 4500	5000	5200	5500	2600	2900	6100	0059	7000	7200	8500	9700	12000	5500
Pro		630 16	1600 4500	00 4600	00 4600	0 4700	5200	5500	5800	0009	6200	6400	0089	7200	7300	8900	10000	13000	5800
		610 19	<b>1900</b> 4400	00 <b>5100</b>	<b>00</b> 5200	00 5300	5500	2700	6100	6200	6400	7200	7300	7400	7500	9300	10000	14000	6100
Gly		<b>620</b> 19	1900 <b>4500</b>	<b>00</b> 5200	00 <b>5700</b>	0069 0	5900	0009	6200	6300	6500	7200	7300	7600	0092	10000	12000	15000	6200
r   Ten		<b>670</b> 20	2000 4800	00 5300	00 5800	0009 00	6100	6100	6300	6500	6800	7200	7400	7800	8000	10000	12000	16000	9300
St.		<b>620</b> 20	2000 <b>5100</b>	<b>00</b> 5300	00 5800	00 6200	6100	6100	6300	6500	7100	7200	7700	8100	8100	10000	12000	16000	6300
Ehe Phe		660 20	2000 5100	00 5300	00 5900	0089 00	6200	6200	6400	6400	7100	7200	8100	8200	8200	10000	12000	16000	6400
Ser		700 21	2100 5100	00 5400	0009 00	00 6400	(500	6300	6100	2900	0089	7200	8100	8200	8300	10000	13000	17000	6400
Glu Glu		750 21	2100 5200	00 5400	00 6100	00 7100	2500	4600	4300	4200	6400	5200	8200	8300	8400	10000	13000	17000	5400
Asp		800 21	2100 5200	00 5400	00 6200	00 7100	2500	4600	6200	6400	0099	5200	8200	8400	8500	11000	13000	17000	6200
His		<b>850</b> 22	2200 5200	00 5500	00 6300	00 7200	7200	4000	0099	00/9	6800	4500	5800	2600	8600	11000	14000	18000	9300
Tyr		<b>850</b> 22	2200 53	5300 5600	00 6400	00 7300	7400	7500	7800	7900	8000	8100	8300	8600	8700	11000	14000	18000	7800
2 Tirp		850 23	2300 5300	00 <b>2000</b>	00 6500	0 7400	) 7500	7600	7900	8000	8200	8300	8500	8800	0098	11000	14000	19000	7900
Mean		690 17	1700 4600	00 4900	00 5300	0025 00	5400	5400	6000	0009	6400	5900	7000	7300	7700	0400	11200	14300	6000
<b>.</b>										733	221	473	273	259	180			809	246
0`								5.0	3.8	3.9	3.4	7.2	3.9	3.5	2.3	3.5	4.7	5.7	4
			1950 4650	50 5250	50 5750	0 5950	0009 (	9	6250	6400	6650	7200	7350	7700	7800	10000	0	15500	6150
	T Median Without charged residues	Joni ch	arged	residu	es.														
Bold t	Bold type values are experimental.	ues are	exbe	rimenta	اً. عا														

Deamidation rates are affected by a wide variety of parameters, including, pH, Temperature, Ionic Strength, and

[0022]

Buffer lons. These rates are measured under pH and Temperature conditions that are applicable to biological systems. The buffer type and concentration were chosen to minimize ion affects to the extent possible given the experimental limitations. Modification of these conditions will change the rates in Tables 1 and 2. As long as the conditions are not taken to extremes (i.e. high temperature, or strongly acidic or basic conditions) the qualitative sequence dependence should remain the same and the rates reported here can be used with necessary adjustments.

[0023]

It is also clear that direct hydrolysis of Gln and Asn take place in addition to the regular sequence dependent mechanism. This hydrolysis is sequence dependent as well, but an average value of about an 8010 day half-time can be taken as a rough approximation based on this and other data measured at the same time. This does not effect the Asn rates significantly, but is responsible for the leveling off of the Gln rates at around this level. This hydrolysis is also effected by the reaction conditions.

[0024]

The sequence dependence apparent in Tables 1 and 2 is of great value in engineering stable amides, unstable amides, or amides with particularly desired rates. Isomer-

ization of acid residues will follow a very similar sequence dependence, offset by a determinable amount.

[0025] Gln vs. Asn Deamidation:

[0026] It is apparent from the data shown in Tables 1 and 2 that the deamidation rates of Asn and Gln cover markedly different ranges. One of the discoveries in these experiments was that their sequence dependencies are complementary. Asn sequences cover the range from about 1 day to 450 days. Gln picks up at 560 days and carries these rates out to tens of thousands of days.

This opens up a new possibility for engineering of amide rates. It is possible to switch half-time ranges simply by substituting Asn for Gln or Gln for Asn depending on the desired effect. In many cases where it is desirable to introduce or leave in place an amide, the difference of one CH<sub>2</sub> group in chain length may not be critical.

[0028] Moreover, the fact that this range switching can be done raises another possibility. Other modifications of Gln and Asn may lie in different ranges. Thus the substitution of unnatural amide side-chains is also a valuable procedure.

[0029] Three-Dimensional Effects of Deamidation:

[0030] The invention of the three-dimensional prediction method

for deamidation rates has been developed in two phases. The first of these was the invention of a technique for determining deamidation rates in proteins based on manually counting the number of each type of structure that can affect the rate. Each of these effects is then summed with special coefficients to produce the correct rate. The procedure was calibrated on known relative deamidation rates and then found to be quite accurate in predicting absolute rates.

- [0031] Secondly, the procedure was adapted to an automated method by means of an extensive C++ program. Some modifications were made when this was done, but the basic procedure remained the same.
- I am not attempting to patent this C++ program. There are many ways to write such programs and the current version is protected by copyright. What is being patented is the method used to write it which is based on the manual procedure and minor modifications and improvements that are particularly adapted to computerized calculation and include many conceptual innovations.
- [0033] It will be obvious to anyone who studies and understands these methods that there are variations in the procedure and even some improvements that could be made which

would yield similar results. Any such modifications are understood to be products of this invention and come under the scope of this patent.

- [0034] The deamidation coefficient,  $C_D$ , for and amide is defined as:  $C_D = (0.01)(t_{p1/2})(e^{f(Cm, CSn, Sn)})$
- [0035] Here  $t_{1/2}$  is the pentapeptide primary structure half life,  $C_m$  is a structure proportionality factor,  $C_{Sn}$  is the 3D structure coefficient for the nth structure observation,  $S_n$  is that observation, and  $f(C_m, C_{Sn}, S_n) = C_m[(C_{S1})(S_1) + (C_{S2})(S_2) + (C_{S3})(S_3) (C_{S4,5})(S_4)/(S_5) + (C_{S6})(S_6) + (C_{S7})(S_7) + (C_{S8})(S_8) + (C_{S9})(S_9) + (C_{S10})(1 S_{10}) + (C_{S11})(5 S_{11}) + (C_{S12})(5 S_{12})]$ . The structure observations,  $S_n$ , were selected as those most likely to impede deamidations, including hydrogen bonds,  $\alpha$ -helices,  $\beta$ -sheets, and peptide inflexibilities. The functional form of  $C_D$  assumes that each of these structural factors is added to the reaction activation energy. The observed  $S_n$  were:
- [0036] For Asn in an  $\alpha$ -helical region:
- $S_1 = \text{distance in residues inside the } \alpha \text{helix from the NH}_2$  end, where  $S_1 = 1$  designates the end residue in the helix, 2 is the second residue, and 3 is the third. If the position is 4 or greater,  $S_1 = 0$ .
- [0038] S<sub>2</sub> = distance in residues inside the  $\alpha$ -helix from the

- COOH end, where  $S_1 = 1$  designates the end residue in the helix, 2 is the second residue, and 3 is the third. If the position is 4 or greater or  $S_1 \neq 0$ , then  $S_2 = 0$ .
- [0039]  $S_3 = 1$  if Asn is designated as completely inside the  $\alpha$ -helix, because it is 4 or more residues from both ends. If the Asn is completely inside,  $S_3 = 1$ ,  $S_1 = 0$ , and  $S_2 = 0$ . If  $S_1 \neq 0$  or  $S_2 \neq 0$ , then  $S_3 = 0$ .
- [0040] For flexibility of a loop including Asn between two adjacent antiparallel  $\beta$ sheets:
- [0041]  $S_4$  = number of residues in the loop.
- [0042] S<sub>5</sub> = number of hydrogen bonds in the loop. S<sub>5</sub>  $\geq$  1 by definition.
- [0043] For hydrogen bonds:
- $\begin{bmatrix} 0044 \end{bmatrix}$  S<sub>6</sub> = the number of hydrogen bonds to the Asn side chain C=O group. Acceptable values are 0, 1, and 2.
- [0045] S<sub>7</sub> = the number of hydrogen bonds to the Asn side chain NH<sub>2</sub> group. Acceptable values are 0, 1, and 2.
- [0046]  $S_8 =$  the number of hydrogen bonds to the backbone nitrogen atom in the peptide bond on the COOH side of Asn. Hydrogen bonds counted in  $S_6$  or  $S_7$  are not included. Acceptable values are 0 and 1. This nitrogen atom is used in the five-membered succinimide ring.

- [0047]  $S_9 = additional hydrogen bonds, not included in <math>S_6$ ,  $S_7$ , and  $S_8$ , that would need to be broken to form the succinimide ring.
- [0048] For Asn situated so that no  $\alpha$ -helix,  $\beta$ -sheet, or disulfide bridge structure is between the Asn and the end of the peptide chain:
- $S_{10} = 1$  if the number of residues between the Asn and the nearest such structure is 3 or more. If the number of intervening residues is 2, 1, or 0, or Asn not between structure and chain end, then  $S_{10} = 0$ .
- [0050] If the Asn lies near to any  $\alpha$ -helix,  $\beta$ -sheet, or disulfide bridge structures:
- $S_{11}$  = the number of residues between the Asn and the structure on the NH<sub>2</sub> side, up to a maximum of 5. Values of 0, 1, 2, 3, 4, and 5 are acceptable.
- $S_{12}$  = the number of residues between the Asn and the structure on the COOH side, up to a maximum of 5. Values of 0, 1, 2, 3, 4, and 5 are acceptable.
- [0053] Hydrogen bonds selected by the Swiss Protein Data Bank (PDB) viewer were accepted if the bond length was 3.3 Å or less and there was room in the structure to accommodate the van der Waals radius of the hydrogen. In the computerized procedure this bond length was optimized

at 4.1 Å, and the bond angles and number of bonds per atom were adjusted to physically correct and optimized values. The Swiss PDB viewer, according to the customary criteria, selected  $\alpha$ -helices and  $\beta$ -sheets. All primary structure t values were those published except for Asn with carboxyl-side Pro, Asn, or Gln and N-glycosylated Asn. Estimated values were used for any sequence for which the primary sequence rate was not known.

[0054] Coefficients Used in Equation:

- [0055]  $C_D$  values ("Coefficient of Deamidation") were optimized by using various values for  $C_m$  and  $C_{Sn}$  to maximize the value of the deamidation resolving power,  $D_p$ , as described in the calibration procedure section. The optimized values were  $C_m = 0.48$ ,  $C_{S1} = 1.0$ ,  $C_{S2} = 2.5$ ,  $C_{S3} = 10.0$ ,  $C_{S4,5} = 0.5$ ,  $C_{S6} = 1.0$ ,  $C_{S7} = 1.0$ ,  $C_{S8} = 3.0$ ,  $C_{S9} = 2.0$ ,  $C_{S10} = 2.0$ ,  $C_{S11} = 0.2$ , and  $C_{S12} = 0.7$ .
- [0056] As an example, the  $\beta$ -LysAsn(145)His sequence of hemoglobin is not in an  $\alpha$ -helix or in a loop between two  $\beta$ sheets, so  $S_1$  through  $S_4 = 0$ ,  $S_5 = 1$ . There is one hydrogen bond to the amide side chain nitrogen and one other to be broken to form the imide, but there are none to the amide carboxyl or the backbone nitrogen, so  $S_6 = 0$ ,  $S_7 = 0$

- 1,  $S_8 = 0$ , and  $S_9 = 1$ . This Asn is near the carboxyl end of the chain and one residue from an  $\alpha$ -helix on the amino side, so  $S_{10} = 0$ ,  $S_{11} = 1$ , and  $S_{12} = 5$ . The GlyLysAsnHis-Gly half life<sup>6</sup> is 10.5 days. Therefore,  $C_D = (0.01)(10.5)e^{(0.48)[(1)(1)+(2)(1.5)]} = (0.105)e^{(0.48)(5.8)} = (0.105)(16.184) = 1.70$ .
- $[^{0057}]$  C<sub>D</sub> is multiplied by 100 to give the predicted Tris deamidation half-time in days for the amide.
- [0058] Results for Asn are greater than 95% correct in predicting the fastest amide in a protein. It is also applicable to Gln.
- [0059] It is also likely that isomerization of Asp and Glu can be modeled with the same procedure. Primary rate data on Asp and Glu isomerization or a correction factor to be applied to the Asn and Gln data is needed in order to do this.
- [0060] Conclusions:
- [0061] Three different types of modifications that can be used in the engineering of deamidation and/or isomerization rates of amides and possibly acids have been invented.

  These are:
- [0062] 1. Modification of the residues or residue-like structures on either side of the amide principally the one on the right (carboxyl side).
- [0063] 2. Modification of the amide specifically Asn to Gln or

Gln to Asn, but other types of modification can also be used, especially in the case of structures that are similar, but not a perfect match to those found in peptides, hormones, and proteins.

[0064] 3. Modification of the three-dimensional environment around the amide. The necessary modifications can be determined from the three-dimensional deamidation prediction method. Each of the S parameters describes a quantitative addition to the reaction activation energy. Removal or addition of one or more of these elements will change the rate accordingly.

[0065] At least two types of deamidation are present. The ones on which this method is based, and which are most prevalent for amides with half-times less than a few hundred days, depending on conditions and providing especially catalytic ions are not present, are most strongly effected by the structure to the right of the amide (e.g. in the sequence GlyXxx(Amide/Acid)YyyGly the identity of Yyy is the most important factor). Also present is at least one more mechanism that is usually slower and has different sequence dependence. It is possible that this dependence as well as the left hand structure dependence (Xxx in the sequence GlyXxx(Amide/Acid)YyyGly) can also be modeled

with a similar system, but this has not yet been demonstrated.